



metahospitalar

CATALOG

ENGLISH



HOSPITAL BEDS
STRETCHERS
EQUIPMENT
HOSPITAL
FURNITURE

CATALOG

CONTACT



metahospitalar.com.br/en/



+55 (11) 97355-8960



comex@metahospitalar.com.br



[@metahospitalar](#)



[@metahospitalar](#)



[@lucasfranceschini](#)



www.youtube.com/@metahospitalar



Pq. Ind. Vice-Presidente José de Alencar
- Avenida Elmar Arantes Cabral Qd.07 |
Lts. 34/36, Aparecida de Goiânia - GO,
74993-535

INTERACTIVE CATALOG

Click on the desired link above





INTRODUCTION

Founded in 1997, Metahospitalar is a Brazilian company specialized in the manufacturing of hospital beds, stretchers, and healthcare furniture in general.

With 27 years of experience, Metahospitalar has achieved market leadership in hospital medical equipment in Brazil.

Innovative since its inception, Metahospitalar is a national leader in the supply of hospital beds, serving both public and private healthcare sectors.

The brand operates throughout Brazil and exports to Latin America and Africa.

The company holds major national and international certifications, including FDA,

ISO 13485, ISO 9001, and INMETRO.





INDEX

INTRODUCTION

ICU BEDS

- EVOLUTION BED - MT 167
- DIAMOND CARE BED - MT 212

RECOVERY BEDS

- FLEX CARE - MT 152
- VIDA CARE - ND 1150

TRANSPORT

- DIAMOND STRETCHER - MT 416
- TRANSPORT CHAIR - MT 450
- STRETCHER - MT 413

PEDIATRIC

- MOTORIZED PEDIATRIC CRIB - MT 219
- MOTORIZED PEDIATRIC BED - MT 154

HEMODIALYSIS CHAIRS

- HEMOPREMIUM - MT 639

ACCESSORIES

- IV POLE - MT 933

A
100A
metahospitalar



ICU
BEDS

CLICK HERE

INDEX

Evolution | MT 167



Integrated FisiMeta and Voice Assistant



Touch Screen Display and Dual control on the siderails



Bed extender +20cm (8")



280Kg
617lbs



KEY FEATURES


- Night light.
- Total and directional braking system.
- 6" casters.
- Full-length protective siderails.
- Rigid patient surface (washable, disinfectable, and removable).
- IV pole.



TECHNICAL DATA

MOVEMENTS

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| FOWLER BACKREST | FOWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT | CHAIR POSITION |
| 0° 77° | 0° 23° | -15° +15° | | 330mm | 680mm | |



TECHNICAL DATA*

Bed surface: Length: ≈1950 - 2150mm (≈74,7" - 86,6"); **Width:** ≈830mm (≈32,6");
Total: Length: ≈2280 - 2480mm (≈89,7" - 97,6") with extender;
Width: ≈1090mm (≈43"); **Height:** ≈330 - 680mm (≈13" - 26,7").


*Dimensions may vary

New!

CLICK HERE

INDEX

Motorized Articulated ICU Bed | MT 212



The higher siderails prevent patient falls



Display on the footboard



LED siderails with color change according to hospital care protocols



300Kg
617lbs

KEY FEATURES

- Rigid patient surface (washable, disinfectable, and removable).
- Dual control on the siderails
- Diamond-design siderails.
- Total and directional braking system.
- 6" casters.
- Standard decorative finish on siderails, headboard, and footboard.
- Radiolucent backrest with cassette holder.
- IV pole.



TECHNICAL DATA

MOVEMENTS

| | | | | | | |
|------------------------|------------------------|--------------|----------------------|-------------------|-------------------|-----------------------|
| | | | | | | |
| FOWLER BACKREST | FOWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT | CHAIR POSITION |
| 0° 77° | 0° 23° | -15° | +15° | 480mm | 680mm | |



TECHNICAL DATA*

Bed surface: Length: ≈1950 - 2150mm (≈74,7" - 86,6"); **Width:** ≈830mm (≈32,6");
Total: Length: ≈2280 - 2480mm (≈89,7" - 97,6") with extender;
Width: ≈1090mm (≈43"); **Height:** ≈480 - 680mm (≈18,8" - 27,7").

*Dimensions may vary



RECOVERY
BEDS

CLICK HERE

INDEX

Motorized | MT 152



280Kg
617lbs



Four polyethylene siderails, with option for up to six siderails for full enclosure



Remote control



Individual brake on all four wheels



KEY FEATURES


- Rigid patient surface (washable, disinfectable, and removable).
- Siderails with soft-drop system.
- 4" casters.



TECHNICAL DATA

MOVEMENTS

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| FOWLER BACKREST | FOWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT | CHAIR POSITION |
| 0° 77° | 0° 23° | -15° +15° | | 340mm | 690mm | |



TECHNICAL DATA*

Bed surface: Length: ≈1950 - 2150mm (≈74,7" - 86,6"); **Width:** ≈830mm (≈32,6");
Total: Length: ≈2280 - 2480mm (≈89,7" - 97,6") with extender;
Width: ≈1090mm (≈43"); **Height:** ≈340 - 690mm (≈13,3" - 15,3").

*Dimensions may vary

CLICK HERE

INDEX

Vida Care Motorized | ND 1150



4" casters



Remote control



Carbon steel bed platform



280Kg
617lbs



KEY FEATURES

- Cabecera y Picera removibles.
- Elevación motorizada.
- Reposapiernas eléctrico.
- Barandas de protección parcial.

- Baranda con sistema de caída amortiguada.

Vida Care



TECHNICAL DATA

MOVEMENTS

| | | | | | | |
|------------------------|------------------------|--------------|----------------------|-------------------|-------------------|-----------------------|
| | | | | | | |
| FOWLER BACKREST | FOWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT | CHAIR POSITION |
| 0° 77° | 0° 23° | -15° +15° | | 330mm | 680mm | |



TECHNICAL DATA*

Bed surface: Length: ≈1950 - 2150mm (≈74,7" - 86,6"); **Width:** ≈830mm (≈32,6");
Total: Length: ≈2280 - 2480mm (≈89,7" - 97,6") with extender;
Width: ≈1000mm (≈39,4"); **Height:** ≈330 - 680mm (≈13" - 26,8").

*Dimensions may vary



STRETCHERS AND

TRANSPORT CHAIRS

CLICK HERE

INDEX

Diamond Care Stretcher | MT 416



Fold-down and retractable side rails with a safety locking system for fall prevention



The base includes a holder for bags and an oxygen cylinder holder



Stretcher height adjustment via a hydraulic system with dual lifting columns (pistons)



280Kg

617lbs

KEY FEATURES


- High-resistance system protecting the structure against impacts.
- 8" casters.
- Total and directional brake operated by two pedals.
- Fold-down and retractable siderails with safety locking system.
- IV pole.



TECHNICAL DATA

MOVEMENTS

| | | | | | |
|-----------------------|-----------------------|--------------|----------------------|-------------------|-------------------|
| | | | | | |
| FWLER BACKREST | FWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT |
| 0° 80° | 0° 25° | -17° +17° | | 600mm | 920mm |



TECHNICAL DATA*

Bed surface: Length: ≈1950mm (≈74,7"); Width: ≈600mm (≈23,6");
Total: Length: ≈2180mm (≈85,8");
 Width: ≈800mm (≈31,5"); Height: ≈600 - 920mm (≈23,6 - 36,2").

*Dimensions may vary

New!

CLICK HERE


INDEX

Transport Chair | MT 450

180Kg
397lbs




Foldable footrest



Oxygen cylinder holder
and document folder




Leg supports



KEY FEATURES

- Foldable armrests with rubber coating.
- 4" and 8" noise-reducing casters.
- Rubber handle.

- Rear central brake.
- High-density foam padding with eco-leather upholstery.



IV pole



Holder for Foley bags and luggage



TECHNICAL DATA



TECHNICAL DATA

Length: ≈1170mm (≈46"); **Width:** ≈750mm (≈29,5");
Height: ≈520mm (≈20,4").

*Image for illustrative purposes only. The oxygen cylinder, bag, and document folder are not included.

CLICK HERE

INDEX

Stretcher 600mm | MT 413



230Kg
507lbs



Individual brake



Oxygen holder



IV pole



KEY FEATURES


- Metal structure with electrostatic powder coating, high resistance, and easy cleaning.
- 5" casters.
- Easy-operation pedals for height adjustment.
- Full perimeter bumper protection.



TECHNICAL DATA

MOVEMENTS

| | | | | | |
|-----------------------|-----------------------|--------------|----------------------|-------------------|-------------------|
| | | | | | |
| FWLER BACKREST | FWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT |
| 0° 90° | 0° 25° | -15° +15° | | 670mm | 960mm |



TECHNICAL DATA*

Bed surface: Length: ≈1870mm (≈73,6"); **Width:** ≈600mm (≈23,6");
Total: Length: ≈2000mm (≈78,8");
Width: ≈780mm (≈30,7"); **Height:** ≈670 - 960mm (≈26,4" - 97,8").

*Dimensions may vary



PEDIATRIC
BEDS

CLICK HERE

INDEX

Motorized Pediatric Crib | MT 219



180Kg
397lbs

Acrylic siderails ensure clear visibility between patient and staff



Remote control



IV pole



KEY FEATURES

- Removable thermoplastic articulated bed surface.
- Sliding siderails.
- Individual brake.
- 5" casters.
- Bumper.
- Adjustable headboard and footboard.



TECHNICAL DATA

MOVEMENTS

| | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| FWLER BACKREST | FWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT | VASCULAR POSITION |
| 0° 77° | 0° 23° | -15° +15° | | 840mm | 1040mm | |



TECHNICAL DATA*

Bed surface: Length: ≈1350mm (≈ 53,2"); **Width:** 700mm (≈27,5");
Total: Length: ≈1620mm (≈63,8");
Width: ≈910mm (≈35,8"); **Height:** ≈840 - 1040mm (≈33" - 41").

*Dimensions may vary

CLICK HERE

INDEX

Pediatric Bed | MT 154

Bed extender

Remote control

Removable thermoplastic articulated bed surface

280Kg
618lbs



KEY FEATURES

- Siderails with soft-drop system.
- Individual brake on all four casters.
- 4" casters.
- Partial fairing base.
- Enhanced versatility.
- Space-saving siderails.



TECHNICAL DATA

MOVEMENTS

| | | | | | | |
|-----------------------|-----------------------|--------------|----------------------|-------------------|-------------------|--------------------------|
| | | | | | | |
| FWLER BACKREST | FWLER LEG REST | TREND | REVERSE TREND | MIN HEIGHT | MAX HEIGHT | VASCULAR POSITION |
| 0° 77° | 0° 23° | -15° | +15° | 330mm | 680mm | |



TECHNICAL DATA*

Bed surface: Length: ≈1750mm (≈68,9"); **Width:** ≈830mm (≈32,7");
Total: Length: ≈2280mm (≈89,8") with extender;
Width: ≈1090mm (≈43"); **Height:** ≈330 - 680mm (≈13" - 26,8").

*Dimensions may vary



MOTORIZED
CHAIR

Upholstery options:

CR 101
Black



CR 215
Blue



CR 116
Sand



CR 264
Brown



CR 158
Fendi



CR 265
Camel



CR 203
Green



CR 266
Blue



CR 42
Antique Bronze



Eco-leather

CLICK HERE

INDEX

Hemopremium | MT 639



230Kg
618lbs



Emergency bag holder



Remote control



Individual brake



KEY FEATURES

- Carbon steel structure.
- Eco-leather surface.
- Fairing with liquid drainage.
- Independent movements.
- 4" casters.

- IV pole.



TECHNICAL DATA

MOVEMENTS

| | | | | | |
|----------|----------|----------|------------|------------|----------|
| | | | | | |
| BACKREST | LEG REST | TREND | MIN HEIGHT | MAX HEIGHT | RECLINED |
| 0° 90° | 0° 90° | 0° 12° | 520mm | 720mm | |



TECHNICAL DATA*

Length: ≈1050mm (≈41,4"); **Width:** ≈720mm (≈28,4");
Height: ≈520 - 720mm (≈20,5" - 28,4");
Reclined: ≈1800mm (≈70,9").

*Dimensions may vary



Assão: ____/____/____ Registro: _____

IDENTIFICAÇÃO DO PACIENTE

Nome: _____

de Nascimento: ____/____/____ Idade: _____

Outras Informações: _____

RISCOS ASSISTENCIAIS

ACCESSORIES

CLICK HERE

INDEX

IV Pole | MT 933



Height adjustment



Thermoplastic base



Stainless steel structure



KEY FEATURES

- Five double casters with scratch protection.
- Four retractable hooks with height adjustment.



TECHNICAL DATA



TECHNICAL DATA*

Length: ≈540mm (≈21,3"); **Width:** ≈540mm (≈21,3");
Height: ≈1000 - 2500mm (≈39,4" - 98,4);

*Dimensions may vary

